

## Environmental nanotoxicology: Where are we now?

Tiezheng Tong\*

Department of Civil and Environmental Engineering, Colorado State University, Fort Collins, Colorado 80523, USA

Accepted on November 22, 2017

### Editorial

I recently attended the sixth Sustainable Nanotechnology Organization (SNO) Conference from November 5-7, 2017. When I was a Ph.D. student at Northwestern University, I attended the inaugural SNO conference in 2012, from when this conference has witnessed the development and evolution of the Environmental Nanotoxicology field. This year, the SNO conference honoured Professor Pedro Alvarez of Rice University, who made great and indispensable contribution to both applications and implications of nanomaterials (NMs). This reminded me of his pioneering work on comparative eco-toxicity of metal oxide NMs to bacteria (Adams et al., *Water Research*, 2006, total citations > 1000) [1], the earliest publication on environmental Nanotoxicology I could remember. So, 5 years after the first SNO conference and 11 years after Professor Alvarez's inspiring work, what does the Environmental Nanotoxicology field look like now? What have we learned from the past? And what should we do as a researcher at present and in the future? In my personal perspective, the following aspects are highlighted in this Editorial.

Firstly, characterization of NMs has been significantly improved in toxicological studies. This is not trivial because the toxicities of NMs are tightly related to their physicochemical properties. In early studies, scientists were trying to understand whether NMs are more toxic than their bulk counterparts due to their smaller sizes. As a result, nanomaterial characterization was mainly focusing on the primary (and also aggregate) sizes of NMs. As more studies have been performed on a diverse set of NMs, we have realized that other material properties, such as morphology [2-4], surface charge [5,6], and functionality [7-9], markedly influence the reactivities and toxicities of NMs. For example, my previous work demonstrates that material morphology and dimensionality regulate the phototoxicity of nano-TiO<sub>2</sub> by governing how nano-TiO<sub>2</sub> particles align at the bacterial cell surface [4]. Thanks to the interdisciplinary collaboration among material scientists, toxicologists, and environmental scientists, a detailed characterization of tested NMs has been achieved and become a necessary routine in most publications on Nanotoxicology nowadays. This progress has greatly promoted our mechanistic understanding of NM toxicities and potentially establishes a structure-function-toxicity relationship that guides the design of sustainable NMs with mitigated toxicities.

Secondly, the importance of environmental transformations has been recognized in the Environmental Nanotoxicology community. Once entering the environment, NMs are subjected to various physical, chemical, and biological transformations, which alter the properties, activities, bioavailability, and toxicities of NMs [10]. One notable example is the influence of

solution chemistry on the toxicities of metal nanoparticles such as nanoscaled silver (Nano-Ag) [11,12]. The concentrations of Cl<sup>-</sup>, S<sup>2-</sup>, and thiol-containing substances have been shown to significantly change the fate, speciation, and toxicity of Nano-Ag [11-13], due to their strong complexing capabilities to Ag ions. Several state-of-the-art techniques, such as high-resolution transmission electron microscopy (HR-TEM) [14] and synchrotron-based X-ray absorption spectroscopy (XAS) [15-17], have been employed to understand the environmental transformations of NMs. The resulting findings confirm drastic alteration of NMs in the environment, emphasizing the importance of environmental transformations in assessing the toxicity and ecological risks of NMs.

Thirdly, environmental nanotoxicology research is moving towards more realistic scenarios. Most of the early studies on nanotoxicology were performed in the laboratory, and the applied NM concentrations could be orders of magnitude higher than the predicted environmental concentrations. Holden et al. critically evaluated the environmental relevance of current hazard assessment on NMs, pointing out that several uncertainties exist in terms of predicted environmental concentrations, bioavailability, and effective toxic concentrations of NMs [18]. Fortunately, chronic studies with more environmentally meaningful concentrations are increasingly adopted to simulate prolonged exposure of NMs at low concentrations in the environment [19-21]. Also, researchers are moving beyond traditional viability-based toxicological tests to investigate the sub-lethal effects using more appropriate and diverse bio-receptors [22-26]. Furthermore, more studies have focused on characterizing and detecting NMs present in the environment [27-30]. New technologies, such as single-particle inductively coupled plasma mass spectrometry (SP-ICP-MS), are emerging as powerful tools that enable quantification of NMs contained in environmental samples [31-33].

However, the Environmental Nanotoxicology community is still facing many challenges. More information still needs to be gathered to inform a meaningful regulatory framework on NMs. Since the toxic effects of NMs are a function of both NM properties and experimental condition, a standardized testing procedure or inter-laboratory comparison will be of great value to improve the reliability and consensus of toxicological data associated with NMs. Also, due to the rapid development of nanotechnology, myriad novel NMs (e.g., two-dimensional NMs [34], hybrid NMs [35,36]) are being designed, produced, and incorporated into numerous industrial and commercial products. Thus, the utilization of more efficient approaches (e.g., high-throughput screening [37]) will help facilitate our pace of understanding the ecological and health effects of NMs. Last but

not least, we are still lack of enough technologies that characterize both concentrations and properties of NMs in the environment accurately. In particular, we need to develop methods that are able to distinguish engineered NMs from those inherently present in nature. In order to achieve this goal, a combination of analytical, spectroscopic, and microscopic tools will be likely employed to provide a comprehensive picture of NMs in complex environmental matrices.

## References

1. Adams LK, Lyon DY, Alvarez PJJ. Comparative Ecotoxicity of Nanoscale TiO<sub>2</sub>, SiO<sub>2</sub>, and ZnO Water Suspensions. *Water Res.* 2006;40(19):3527-32.
2. Pal S, Tak YK, Song, JM. Does the Antibacterial Activity of Silver Nanoparticles Depend on the Shape of the Nanoparticle? A Study of the Gram-negative Bacterium *Escherichia coli*. *Appl Environ Microb.* 2007;73(6):1712-20.
3. Gilbertson LM, Albalghiti EM, Fishman ZS, et al. Shape-dependent Surface Reactivity and Antimicrobial Activity of Nano-Cupric Oxide. *Environ Sci Technol.* 2016;50(7):3975-84.
4. Tong TZ, Shereef A, Wu JS, et al. Effects of Material Morphology on the Phototoxicity of Nano-TiO<sub>2</sub> to Bacteria. *Environ Sci Technol.* 2013;47(21):12486-95.
5. El Badawy AM, Silva RG, Morris B, et al. Surface Charge-Dependent Toxicity of Silver Nanoparticles. *Environ Sci Technol.* 2011;45(1):283-7.
6. Collin B, Oostveen E, Tsyusko OV, et al. Influence of Natural Organic Matter and Surface Charge on the Toxicity and Bioaccumulation of Functionalized Ceria Nanoparticles in *Caenorhabditis elegans*. *Environ Sci Technol.* 2014;48(2):1280-9.
7. Pasquini LM, Hashmi SM, Sommer TJ, et al. Impact of Surface Functionalization on Bacterial Cytotoxicity of Single-Walled Carbon Nanotubes. *Environ Sci Technol.* 2012;46(11):6297-305.
8. Gilbertson LM, Goodwin DG, Taylor AD, et al. Toward Tailored Functional Design of Multi-Walled Carbon Nanotubes (MWNTs): Electrochemical and Antimicrobial Activity Enhancement via Oxidation and Selective Reduction. *Environ Sci Technol.* 2014;48(10):5938-45.
9. Kim ST, Saha K, Kim C, et al. The Role of Surface Functionality in Determining Nanoparticle Cytotoxicity. *Accounts Chem Res.* 2013;46(3):681-91.
10. Lowry GV, Gregory KB, Apte SC, et al. Transformations of Nanomaterials in the Environment. *Environ Sci Technol.* 2012;46(13):6893-99.
11. Levard C, Hotze EM, Lowry GV, et al. Environmental Transformations of Silver Nanoparticles: Impact on Stability and Toxicity. *Environ Sci Technol.* 2012;46(13):6900-14.
12. Levard C, Mitra S, Yang T, et al. Effect of Chloride on the Dissolution Rate of Silver Nanoparticles and Toxicity to *E. coli*. *Environ Sci Technol.* 2013;47(11):5738-45.
13. Liu JY, Wang ZY, Liu FD, et al. Chemical Transformations of Nanosilver in Biological Environments. *ACS Nano.* 2012;6(11):9887-99.
14. Chen S, Theodorou IG, Goode AE, et al. High-Resolution Analytical Electron Microscopy Reveals Cell Culture Media-Induced Changes to the Chemistry of Silver Nanowires. *Environ Sci Technol.* 2013;47(23):13813-21.
15. Kaegi R, Voegelin A, Ort C, et al. Fate and Transformation of Silver Nanoparticles in Urban Wastewater Systems. *Water Res.* 2013;47(12):3866-77.
16. Lombi E, Donner E, Taheri S, et al. Transformation of Four Silver/Silver Chloride Nanoparticles During Anaerobic Treatment of Wastewater and Post-processing of Sewage Sludge. *Environ Pollut.* 2013;176:193-7.
17. Ma R, Levard C, Judy JD, et al. Fate of Zinc Oxide and Silver Nanoparticles in a Pilot Wastewater Treatment Plant and in Processed Biosolids. *Environ Sci Technol.* 2014;48(1):104-12.
18. Holden PA, Klaessig F, Turco RF, et al. Evaluation of Exposure Concentrations Used in Assessing Manufactured Nanomaterial Environmental Hazards: Are They Relevant? *Environ Sci Technol.* 2014;48(18):10541-51.
19. Ozaki A, Adams E, Binh C, et al. One-Time Addition of Nano-TiO<sub>2</sub> Triggers Short-Term Responses in Benthic Bacterial Communities in Artificial Streams. *Microb Ecol.* 2016;71(2):266-75.
20. Binh CTT, Adams E, Vigen E, et al. Chronic Addition of A Common Engineered Nanomaterial Alters Biomass, Activity and Composition of Stream Biofilm Communities. *Environ-Sci Nano* 2016;3(3):619-30.
21. Ge Y, Priester JH, Mortimer M, et al. Long-Term Effects of Multiwalled Carbon Nanotubes and Graphene on Microbial Communities in Dry Soil. *Environ Sci Technol.* 2016;50(7):3965-74.
22. Gagne F, Auclair J, Turcotte P, et al. Sublethal Effects of Silver Nanoparticles and Dissolved Silver in Freshwater Mussels. *J Toxicol Environ Health -Part A-Current Issues.* 2013;76(8):479-90.
23. Rossbach LM, Shaw BJ, Piegza D, et al. Sub-lethal Effects of Waterborne Exposure to Copper Nanoparticles Compared to Copper Sulphate on the Shore Crab (*Carcinus maenas*). *Aquat Toxicol.* 2017;191:245-55.
24. Liu Q, Xu C, Ji GX, et al. Sublethal Effects of Zinc Oxide Nanoparticles on Male Reproductive Cells. *Toxicol In Vitro.* 2016;35:131-8.
25. Wang Z, Xia T, Liu SJ. Mechanisms of Nanosilver-induced Toxicological Effects: More Attention Should be Paid to its Sublethal Effects. *Nanoscale.* 2015;7(17): 7470-81.
26. Stanley JK, Laird JG, Kennedy AJ, et al. Effects of Multiwalled Carbon Nanotube Exposure in the Invertebrate *Daphnia Magna*. *Environ Toxicol Chem.* 2016;35(1):200-04.

27. Tong TZ, Hill AN, Alsina MA, et al. Spectroscopic Characterization of TiO<sub>2</sub> Polymorphs in Wastewater Treatment and Sediment Samples. *Environ Sci Tech Let*. 2015;2(1):12-8.
28. Westerhoff P, Song GX, Hristovski K, et al. Occurrence and Removal of Titanium at Full Scale Wastewater Treatment Plants: Implications for TiO<sub>2</sub> Nanomaterials. *J Environ Monitor*. 2011;13(5):1195-203.
29. Kiser MA, Westerhoff P, Benn T, et al. Titanium Nanomaterial Removal and Release from Wastewater Treatment Plants. *Environ Sci Technol*. 2009;43(17):6757-63.
30. Kim B, Murayama M, Colman BP, et al. Characterization and Environmental Implications of Nano- and Larger TiO<sub>2</sub> Particles in Sewage Sludge, and Soils Amended with Sewage Sludge. *J Environ Monitor*. 2012;14(4):1129-37.
31. Montano MD, Majestic BJ, Jamting AK, et al. Methods for the Detection and Characterization of Silica Colloids by Microsecond spICP-MS. *Anal Chem*. 2016;88(9):4733-41.
32. Lee S, Bi XY, Reed RB, et al. Nanoparticle Size Detection Limits by Single Particle ICP-MS for 40 Elements. *Environ Sci Technol*. 2014;48(17):10291-300.
33. Donovan AR, Adams CD, Ma YF, et al. Single Particle ICP-MS Characterization of Titanium Dioxide, Silver, and Gold Nanoparticles During Drinking Water Treatment. *Chemosphere*. 2016;144:148-53.
34. Bhimanapati GR, Lin Z, Meunier V, et al. Recent Advances in Two-Dimensional Materials beyond Graphene. *ACS Nano*. 2015;9(12):11509-39.
35. Saleh NB, Aich N, Plazas-Tuttle J, et al. Research Strategy to Determine When Novel Nanohybrids Pose Unique Environmental Risks. *Environ-Sci Nano*. 2015;2(1):11-8.
36. Saleh NB, Afroz AR, Bisesi JH, et al. Emergent Properties and Toxicological Considerations for Nanohybrid Materials in Aquatic Systems. *Nanomaterials-Basel*. 2014;4(2):372-407.
37. Damoiseaux R, George S, Li M, et al. No Time to Lose-High Throughput Screening to Assess Nanomaterial Safety. *Nanoscale*. 2011;3(4):1345-60.

**\*Correspondence to:**

Tiezheng Tong  
Department of Civil and Environmental Engineering,  
Colorado State University  
Fort Collins  
Colorado  
USA  
Tel: +1 970 491 1913  
E-mail: tiezheng.tong@colostate.edu