

***In vitro* genotoxicity evaluation of tungsten (VI) oxide nanopowder using human lymphocytes.**

Bugra G. Akbaba^{1*}, Hasan Turkez², Erdal Sonmez³, Ugur Akbaba⁴, Elanur Aydın⁵, Abdulgani Tatar⁶, Guven Turgut⁷, Salim Cerig⁵

¹Bioengineering Department, Faculty of Engineering and Architecture, Kafkas University, Kars, Turkey

²Department of Molecular Biology and Genetics, Faculty of Science, Erzurum Technical University, Erzurum, Turkey

³Graduate School of Natural and Applied Sciences, Department of Nanoscience & Nanoengineering, Advanced Materials Research Laboratory, Atatürk University, Erzurum, Turkey

⁴Department of Elementary Mathematics Education, Education Faculty, Kafkas University, Kars, Turkey

⁵Atatürk University, Faculty of Science, Department of Biology, 25240, Erzurum, Turkey

⁶Medical Genetics Department, Faculty of Medicine, Ataturk University, Erzurum, Turkey

⁷Department of Physics. K. K Education Faculty, Atatürk University, Erzurum, Turkey

Abstract

Tungsten (VI) oxide (or tungsten trioxide) (WO_3 , <100 nm particle size) nanoparticles (NPs) are used for many purposes including production of electrochromic windows, or smart windows, x-ray screen and gas sensors in everyday life. However, their carcinogenicity and genotoxicity have not been sufficiently evaluated. Therefore, the genotoxic potential of WO_3 nanoparticle was examined in cultured human lymphocytes by the use of the micronucleus (MN) test and the comet (SCGE) assay. Freshly isolated human lymphocytes were exposed to WO_3 nanoparticle at concentrations ranging from 0 to 500 μM for 72 hours at 37°C. Our results indicated that 400 and 500 μM of WO_3 nanoparticle treatment caused slight increases of the MN frequencies in cultured human lymphocytes. Likewise, WO_3 nanoparticle (at concentrations above 200 μM) led to increases of DNA damage (estimated with the comet assay) in human lymphocytes. The observed alterations in the MN and the comet assay parameters revealed that WO_3 nanoparticles have genotoxic potential and could pose environmental and human health risk.

Keywords: Genotoxicity, Health risk, Human lymphocytes, Nanoparticle, Tungsten trioxide.

Accepted December 24, 2015

Introduction

Nanoparticles (NPs) are identified as particles with diameters under 100 nm, are unique in that their electronic, chemical, and physical properties enable many promising technical and medicinal applications [1,2]. Thanks to their unique features, NPs have been the focus of much research such as in industrial applications, environmental toxicity studies and human health impacts. Various industrial NPs are made from titanium oxide, silver, gold, cadmium selenite, other carbon NPs, cerium oxide and hydroxyapatite NPs [3-6]. Together with the fast development of nanotechnology today, NPs are used for various biomedical applications such as targeted delivery/imaging, hyperthermia, cell therapy and stem cell tracking [7-14]. In recent years, many efforts were made to investigate the toxicity of micro sized natural and man-made mutagens to human life and the ability of therapeutic substances to reduce

the toxicity of these chemicals [15-20]. But the toxic effects of NPs were not fully detailed except for some inorganic and organic NPs. In fact, the most recent report indicated that there was a lack of systematic assessment of the DNA damaging and carcinogenic potential of NPs in spite of their extensive use in nanotechnological applications. People are exposed to NPs from various sources and in many pathways, including inhalation, dermal absorption, eye contact and oral ingestion [21,22]. Therefore, the evaluation of NPs toxicity has become very important for public health and the environment [23-25].

Tungsten trioxide contains oxygen and the transition metal tungsten. It is gained as an intermediate in the recovery of tungsten from its minerals. To produce tungsten products tungsten ores are treated with alkalis. Tungsten trioxide can be prepared in several different ways. Scheelite ($CaWO_4$) is allowed to react with HCl to produce tungstic acid, which decomposes to WO_3 and water at high temperatures. Another

common way to synthesize WO_3 is by calcination of ammonium paratungstate (APT) under oxidizing conditions. There are many applications of the WO_3 in everyday life. It is used in industry to manufacture tungstates for fireproofing fabrics, for x-ray screen, in gas sensors, automobile glass and as a pigment in ceramics and paints because of its rich yellow color [26-30]. In recent years, WO_3 has been employed in biomedical applications as an endovascular coil, endovascular catheter and bone cement [31-33]. Although tungsten had been considered a relatively inert and toxicologically safe material, recent research findings have raised concerns about possible deleterious health effects after acute and chronic exposure to this metal [34, 35]. It was reported that soluble tungsten compounds were absorbed after oral exposure both in humans and in laboratory rats. It has been shown that the embedded tungsten alloy pellets caused metastatic tumors in rats. Tungsten was found to accumulate in several organs and/or tissues such as kidneys, liver, ovaries, prostate, pancreas, lung, heart, muscle, spleen and bone following a single oral dose [36]. In addition, a previous report indicated the potential for tungsten alloy-induced immunotoxicity [37]. The genotoxic potential of tungsten and tungsten compounds has not been extensively assessed [38]. Considering the latest information, the mutagenic potential of WO_3 nanopowder has not been accurately perused. Thus, in this paper, we thoroughly investigate the cytotoxic and genotoxic potentials of WO_3 nanoparticles in human lymphocytes culture by using the micronucleus (MN) test and the comet (SCGE) assay.

Materials and Methods

Synthesis of tungsten trioxide nanoparticles

Metal oxide based semiconductors such as SnO_2 , ZnO , TiO_2 , CuO and WO_3 etc. have been used in many application areas [39]. Among these, WO_3 is one of the most valuable materials for electrochromic devices, information displays, smart windows and rechargeable lithium batteries [40]. WO_3 as transitional metal oxide not only has reversible electrochromism property and special catalysis property [41]; at one time because of its big surface area, WO_3 can be used excellent solar absorb material and contact material: but also WO_3 belonging to an n-type semiconductor has excellent gas sensing property [42]. In the recent years, nanopowder WO_3 materials have gained much attention due to its surface to volume ratio, which is much greater than that of coarse-grained materials [43]. There is a wide range of techniques for preparation of the powders such as the sol-gel process [44], the micro emulsion method [42], the inert gas condensation method and the chemical vapor condensation process [45]. Among these techniques, the sol-gel technique is attractive due to its easy manipulation of the samples, simplicity, safety, low cost [46], and easy control of chemical components [47]. The sol-gel method involves the dispersion of metallic salts in solutions. The sol is later 'solidified' through stages of stiffening and polymerization to give a gel (gelation) [48]. The gel so obtained is thoroughly washed with distilled water or alcohol, filtered, dried and finally heated to high temperatures

to obtain the required material [49]. Therefore, in present study, WO_3 nanopowders were prepared via the sol-gel process. The experimental construction is shown in Figure 1. Firstly, nitric acid (HNO_3) solution was added drop by drop to sodium tungstate ($\text{Na}_2\text{WO}_4 \cdot 2\text{H}_2\text{O}$), so tungstic acid deposit was formed. Oxalic acid ($\text{H}_2\text{C}_2\text{O}_4$) and citric acid ($\text{C}_6\text{H}_8\text{O}_7$) were used as complex forming agents in the sol solution. The precipitate obtained from this solution was washed several times with absolute ethyl alcohol and then dried at 50°C . In this manner yellow precipitates were formed and WO_3 powder was produced with calcination at 550°C for 3h.




Figure 1: Schematic diagrams of steps involved in obtaining WO_3 powders

Lymphocyte cultures

Typically, two or three donors have been used in toxicity studies [18,19]. In this study, four donors were used to increase the statistical reliability. Human peripheral blood samples were drawn from healthy volunteers (age ≤ 30 years), by venipuncture in heparinized tubes. Leukocytes (lymphocytes + monocytes) were isolated on a Ficoll-Paque gradient, washed with *Phosphate Buffered Saline* (PBS) and resuspended in Ham's F10 medium containing 15% foetal calf serum (FCS). Lymphocytes were stimulated to divide by 2% phytohaemagglutinin (PHA). Cultures were set up at a concentration of 0.5×10^6 cells/ml in glass tubes and incubated at 37°C 24 h after PHA stimulation, WO_3 particles were dispersed in 1-ml cultures. All concentrations were prepared immediately prior to the application; H_2O (10 μl) was used as metal carrier.

Genotoxicity testing

Micronucleus assay (MN): Cytochalasin B (6 µg/ml) was added after 44 h to block cytokinesis, and after a total of 72 h cells were spread on slides using a cytospin (Shandon, 5 min at 600 rpm). All slides were fixed in 100% methanol (20 min) and stained with 5% Giemsa in Sörensen buffer (pH 6.8). Duplicate cultures were analyzed for each dose tested: 1000 cytokinesis-blocked (binucleated) lymphocytes (CBs) were examined per culture for the presence of one, two or three MN. In addition, the percentages of binucleated cells (% CB), polynucleated cells (polyN), metaphases, and mononucleated cells with MN were recorded. As a measure for cell cycle delay and/or cytotoxicity, the relative division index (RDI) was used: $RDI = [(CB + 2polyN)/n \text{ treated sample}] / [(CB + 2polyN)/n \text{ control sample}] \times 100$. All slides were coded and analyzed with a Zeiss microscope (1250 × magnification). Statistical differences between controls and treated samples were determined with the chi-square (χ^2) test. Because Mytomycin C (MMC) is more effective at lower doses [50], it was used at 10-7M as a positive control.

Comet assay (SCGE): Cell processing was performed as described by Singh et al., with some modifications [51]. Fully frosted slides (Richardson Supply, UK) were covered with 1% normal melting point (NMP) agarose and a coverslip. The agarose was allowed to solidify at room temperature and removed by scraping with a coverslip. Then the slides were covered with 300 µl NMP agarose (0.5%) and a coverslip, and placed on ice for 10 min to let agarose solidify. After removal of the coverslip, 5000-50,000 cells (in 10 µl incubation solution) were mixed with 90 µl of 0.6% low melting point (LMP) agarose and carefully layered on top, covered with a coverslip and put on ice to solidify. The coverslips were removed, and the slides put in cold, freshly made lysing solution (2.5 M NaCl, 10 mM Tris, 100 mM EDTA disodium salt and 1% w/v N-lauroylsarcosine, pH 10, supplemented with 10% v/v DMSO and 1% v/v Triton X-100 before use) for at least 1 h at 4°C. For electrophoresis, the slides were placed in a horizontal electrophoresis box filled with freshly made alkaline electrophoresis buffer (300 mM NaOH, 1 mM EDTA, pH >12) for 40 min at 18°C, to allow the DNA to unwind. Electrophoresis (300 mA, 0.7 V/cm) was performed in the same buffer for 20 min at 18°C. Slides were removed from the buffer, the excess alkali was neutralized with 0.4 mM Tris (Ph 7.5), and the slides stored with coverslip in a moist chamber at 4°C until analysis. Ethidium bromide (20 µg/ml) stained nuclei were analyzed by a computer-guided image analysis system. Images from a Zeiss fluorescence microscope (300X magnification) were captured with an air-cooled camera (Photonic Science) on a frame grabber type DT 2855. Depending on the quality of the slides, between 40 and 100 non-overlapping images per dose were selected randomly on the slides. Tail length (TL) of the comet was measured by defining manually the center and the leading edge of the nucleus, and the end of the tail. Besides TL, also tail moment (TM) ($TM = TL \times \text{fraction of DNA content in the tail}$) and the percentage of DNA in the tail (%DNA tail) were assessed. All data were processed by a Macintosh (Performa 6200 PPC)

computer resulting in, e.g. a box plot presentation to show the extent and distribution of DNA damage. Statistical differences between controls and treated samples were determined with the non-parametric Mann-Whitney U-test.

Results

The effects of WO₃ nanoparticle exposure on the frequency of MN formation are shown in Figure 2. No statistically significant difference was found between WO₃ nanoparticle applied samples and control group excluding 400 and 500 µM samples. The higher doses of WO₃ nanoparticle (400 and 500 µM) caused increases of MN rates. The results of comet assay are shown in Figure 3. Comet assay analyses did not show any statistically significant differences between control and the first five doses of WO₃ nanoparticle (from 10 to 150 µM). On the contrary, last three doses of WO₃ nanoparticle (200, 400 and 500 µM) caused increases of DNA damage.




Figure 2: The frequencies of MNs in human lymphocytes treated with different concentrations of Tungsten trioxide.




Figure 3: The effects of Tungsten trioxide induced DNA damage determined by SCGE assay in lymphocytes.

Discussion

The aim of this laboratory study, was to evaluate the genotoxicity in the cultured human lymphocyte cells in response to different concentrations of WO₃ NPs. Present findings indicated that WO₃ NPs are a weak mutagen in human lymphocytes cultures. WO₃ nanoparticle induced insignificant increases of MN frequencies and DNA damage in human lymphocytes. In fact, the MN assay provides a measure of both chromosome breakage and chromosome loss or non-disjunction in clastogenic and aneugenic events, respectively [52]. Damaged DNA can lead to aneuploidy and/or chromosomal instability, which is believed to be a major

contributor to tumor progression [53, 54]. The SCGE assay is a rapid, simple, visual and sensitive technique for measuring DNA breakage in individual mammalian cells [55]. In line with recent findings, there are a few reports on genotoxicity of tungsten NPs in literature. Turkez et al., reported that WO₃ nanoparticle did not cause increase of the incidence of chromosome aberrations in rat bone marrow cells but led to increases of MN formation after chronic exposure for 30 days [56]. On the contrary, another study showed that WO₃ NPs did not induce MN frequency in cultured rat liver cells [6]. Again, in a study *in vitro*, WO₃ NPs showed positive mutagenic response in T A1537 and T A98 bacterial strains of *Salmonella typhimurium* by using Ames test [57]. Tungsten carbide NPs, which are used in hard metal industries for the production of wear resistant and hard tools, induced an increase in the rate of MN in human keratinocyte cells [58]. The probable genotoxic effect of NPs is rooted in several causes, namely their ability to penetrate into living cells and induce free radicals of oxygen and nitrogen [59], to reach the nuclei [60], to damage the cytoskeleton [61] and to interact with DNA [62]. The composition of some nanoclusters include elements that have a carcinogenic effect, such as tungsten [63]. Finally, the structures of some NPs are similar to asbestos fibers [64], which have well-known genotoxic and carcinogenic effects. In addition, a comparison of the genotoxic effects of nano- and microparticles of the same compounds verifies that NPs have higher activity [65].

As a summary, the present findings showed that tungsten oxide NPs have cytotoxic and a weak genotoxic potential and could pose human health risk. Further studies are warranted to investigate the mutagenicity or carcinogenicity of tungsten NPs in mammalian cells for offering certain cautions and assessing their risks on humans.

References

- Lu J, Liong M, Zink JI, Tamanoi F. Mesoporous silica nanoparticles as a delivery system for hydrophobic anticancer drugs. *Small* 2007; 3: 1341-1346.
- Pan Y, Leifert A, Ruau D, Neuss S, Bornemann J, et al. Gold nanoparticles of diameter 1.4 nm trigger necrosis by oxidative stress and mitochondrial damage. *Small* 2009; 5: 2067-2076.
- Warheit DB, Hoke RA, Finlay C, Donner EM, Reed KL, et al. Development of a base set of toxicity tests using ultrafine TiO₂ particles as a component of nanoparticle risk management. *Toxicol Lett* 2007; 171: 99-110.
- Park EJ, Choi J, Park YK, Park K. Oxidative stress induced by cerium oxide nanoparticles in cultured BEAS-2B cells. *Toxicology* 2008; 245: 90-100.
- Cockburn A, Bradford R, Buck N, Constable A, Edwards G, et al. Approaches to the safety assessment of engineered nanomaterials (ENM) in food. *Food Chem Toxicol* 2012; 50: 2224-2242.
- Turkez H, Sonmez E, Turkez O, Mokhtar YI, Stefano AD, et al. The Risk Evaluation of Tungsten Oxide Nanoparticles in Cultured Rat Liver Cells for Its Safe Applications in Nanotechnology. *Braz Arch Biol Technol* 2014; 57: 532-541.
- Di Stefano A, Sozio P, Iannitelli A, Cerasa LS. New drug delivery strategies for improved Parkinson's disease therapy. *Expert Opin Drug Deliv* 2009; 57: 532-541.
- Stephan MT, Moon JJ, Um SH, Bershteyn A, Irvine DJ. Therapeutic cell engineering with surface-conjugated synthetic nanoparticles. *Nat Med* 2010; 16: 1035-1041.
- Mahmoudi M, Hosseinkhani H, Hosseinkhani M, Boutry S, Simchi A, et al. Magnetic resonance imaging tracking of stem cells in vivo using iron oxide nanoparticles as a tool for the advancement of clinical regenerative medicine. *Chem Rev* 2010; 111: 253-280.
- Lee JH, Jang J, Choi J, Moon SH, Noh S, et al. Exchange-coupled magnetic nanoparticles for efficient heat induction. *Nat Nanotechnol* 2011; 6: 418-422.
- Irvine DJ. Drug delivery: One nanoparticle, one kill. *Nat Mater* 2011; 10: 342-343.
- Di Stefano A, Iannitelli A, Laserra S, Sozio P. Drug delivery strategies for Alzheimer's disease treatment. *Expert Opin Drug Deliv* 2011; 8: 581-603.
- Chauhan VP, Stylianopoulos T, Martin JD, Popović Z, Chen O, et al. Normalization of tumour blood vessels improves the delivery of nanomedicines in a size-dependent manner. *Nat Nanotechnol* 2012; 7: 383-388.
- Noh S, Na W, Jang J, Lee JH, Lee EJ, et al. Nanoscale magnetism control via surface and exchange anisotropy for optimized ferrimagnetic hysteresis. *Nano Lett* 2012; 12: 3716-3721.
- Geyikoglu F, Turkez H, Keles SM. The role of fruit juices in the prevention of aluminum sulphate toxicity in human blood in vitro. *Fresen Environ Bull* 2005; 14: 878-883.
- Geyikoglu F, Turkez H. Protective effect of sodium selenite on genotoxicity to human whole blood cultures induced by aflatoxin B1. *Braz Arch Biol Technol* 2005; 48: 905-910.
- Geyikoglu F, Turkez H. Boron compounds reduce vanadium tetroxide genotoxicity in human lymphocytes. *Environ Toxicol Phar* 2008; 26: 342-347.
- Turkez H, Tatar A, Hacimuftuoglu A, Ozdemir E. Boric acid as a protector against paclitaxel genotoxicity. *Acta Biochim Pol* 2010; 57: 95.
- Turkez H, Togar B. The genotoxic and oxidative damage potential of olanzapine in vitro. *Toxicol Ind Health* 2010; 26: 583-588.
- Yah CS. The toxicity of gold nanoparticles in relation to their physicochemical properties. *Biomed Res* 2013; 24: 400-413.
- Mostofi R, Wang B, Haghghat F, Bahloul A, Jaime L. Performance of mechanical filters and respirators for capturing nanoparticles-limitations and future direction. *Ind Health* 2010; 48: 296-304.
- Win-Shwe TT, Fujimaki H. Nanoparticles and neurotoxicity. *Int J Mol Sci* 2011; 12: 6267-6280.
- Oberdörster G, Oberdörster E, Oberdörster J. Nanotoxicology. An emerging discipline evolving from

- studies of ultrafine particles. *Environ Health Persp* 2005; 823-839.
24. Li SQ, Zhu RR, Zhu H, Xue M, Sun XY, et al. Nanotoxicity of TiO₂ nanoparticles to erythrocyte in vitro. *Food Chem Toxicol* 2008; 46: 3626-3631.
 25. Liu Z, Liu S, Ren G, Zhang T, Yang Z. NanoCuO inhibited voltagegated sodium current of hippocampal CA1 neurons via reactive oxygen species but independent from Gproteins pathway. *J Appl Toxicol* 2011; 31: 439-445.
 26. Lassner E, Schubert WD. Tungsten: Properties, Chemistry, Technology of the Element, Alloys, and Chemical Compounds. Kluwer Academic, USA; 1999.
 27. Lee WJ, Fang YK, Ho JJ, Hsieh WT, Ting SF, et al. Effects of surface porosity on tungsten trioxide (WO₃) films' electrochromic performance. *J Electron Material* 2000; 29: 183-187.
 28. Williams DE, Aliwell SR, Pratt KF, Caruana DJ, Jones RL, et al. Modelling the response of a tungsten oxide semiconductor as a gas sensor for the measurement of ozone. *Meas Sci Technol* 2002; 13: 923.
 29. Patnaik P. Handbook of Inorganic Chemical Compounds McGraw-Hill handbooks. McGraw-Hill Professional 2002; 1086.
 30. The Merck Index. Tungsten trioxide. 2006; Vol. 14.
 31. Butler TJ, Jackson RW, Robson JY, Owen RJ, Delves HT, et al. In vivo degradation of tungsten embolisation coils. *Br J Radiol* 2000; 73: 601-603.
 32. Peuster M, Kaese V, Wuensch G, Wuebbolt P, Niemeyer M, et al. Dissolution of tungsten coils leads to device failure after transcatheter embolisation of pathologic vessels. *Heart* 2001; 85: 703-704.
 33. Hierholzer J, Depriester C, Fuchs H, Venz S, Maier-Hauff K, et al. *Rofo-Fortschr Rontg* 2002; 174: 328-334.
 34. Guandalini GS, Zhang L, Fornero E, Centeno JA, Mokashi VP, et al. Tissue distribution of tungsten in mice following oral exposure to sodium tungstate. *Chem Res Toxicol* 2011; 24: 488-493.
 35. Witten ML, Sheppard PR, Witten BL. Tungsten toxicity. *Chem-Biol Interact* 2012; 196: 87-88.
 36. McInturf SM, Bekkedal MYV, Wilfong E, Arfsten D, Gunasekar PG, et al. Neurobehavioral effects of sodium tungstate exposure on rats and their progeny. *Neurotoxicol Teratol* 2008; 30: 455-461.
 37. Kalinich JF, Emond CA, Dalton TK, Mog SR, Coleman GD, et al. Embedded weapons-grade tungsten alloy shrapnel rapidly induces metastatic high-grade rhabdomyosarcomas in F344 rats. *Environ Health Persp* 2005; 113: 729-734.
 38. Keith LS, Moffett DB, Rosemond ZA, Wohlers DW. ATSDR evaluation of health effects of tungsten and relevance to public health. *Toxicol Ind Health* 2007; 23: 347-387.
 39. Singh MP, Singh H, Singh O, Kohli N, Singh RC. Preparation and characterization of nanocrystalline WO₃ powder based highly sensitive acetone sensor. *Indian J Phys* 2012; 86: 357-361.
 40. Li YB, Bando Y, Golberg D, Kurashima K. WO₃ nanorods/nanobelts synthesized via physical vapor deposition process. *Chem Phys Lett* 2003; 367: 214-218.
 41. Pandey NK, Tiwari K, Roy A. Ag Doped Nanomaterials as Relative Humidity Sensor. *IEEE Sens J* 2011; 11: 2911-2918.
 42. Hou CJ, Diao XZ, Tang YK, Huo DQ, Wei LF. Preparation and Characterization of WO₃ Nano-powder with Microemulsion Method. 2nd IEEE International Nanoelectronics Conference 2008; 362-365.
 43. Siegel RW. Nanostructured materials-mind over matter. *Nanostruct Mater* 1994; 4: 121-138.
 44. Kanan SM, Tripp CP. Synthesis, FTIR studies and sensor properties of WO₃ powders. *Curr Opin Solid St M* 2007; 11: 19-27.
 45. Maruyama T, Arai S. Electrochromic properties of tungsten trioxide thin films prepared by chemical vapor deposition. *J Electrochem Soc* 1994, 141: 1021-1024.
 46. Ghodsi FE, Absalan H. Comparative study of ZnO thin films prepared by different sol-gel route. *Acta Phys Pol A* 2010; 118: 659-664.
 47. Ilican S, Caglar Y, Caglar M. Preparation and characterization of ZnO thin films deposited by sol-gel spin coating method. *J Optoelectron Adv M* 2008; 10: 2578-2583.
 48. Poulter KF, Pryde JA. Chemisorption of hydrogen on rhenium. *J Optoelectron Adv M* 1968; 1: 169.
 49. Han SD, Campet G, Huang SY, Shastry MCR, Portier J, et al. A new method for the preparation of fine-grained SnO₂ and WO₃ powders: influence of the crystallite size on the electrochemical insertion of Li⁺ in SnO₂ and WO₃ electrodes. *Acta Passive Electron Compon* 1995; 18: 39-51.
 50. Sontakke YA, Fulzele RR. Cytogenetic study on genotoxicity of antitumor-antibiotic Mitomycin C. *Biomed Res* 2009; 20: 40-44.
 51. Singh NP, McCoy MT, Tice RR, Schneider EL. A simple technique for quantitation of low levels of DNA damage in individual cells. *Exp Cell Res* 1988; 175: 184-191.
 52. Karaman A, Kadi M, Kara F. Sister chromatid exchange and micronucleus studies in patients with Behcet's disease. *J Cutan Pathol* 2009; 36: 831-837.
 53. Erol A. Systemic DNA damage response and metabolic syndrome as a premalignant state. *Curr Mol Med* 2010; 10: 321-334.
 54. Turkez H, Geyikoglu F, Mokhtar YI, Togar B. Eicosapentaenoic acid protects against 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin-induced hepatic toxicity in cultured rat hepatocytes. *Cytotechnology* 2012; 64: 15-25.
 55. McKelvey-Martin VJ, Green MHL, Schmezer P, Pool-Zobel BL, De Meo MP, et al. The single cell gel electrophoresis assay (comet assay): a European review. *Mutat Res Fund Mol M* 1993; 288: 47-63.
 56. Turkez H, Cakmak B, Celik K. Evaluation of the potential in vivo genotoxicity of tungsten (VI) oxide nanopowder for human health. In *Key Engineering Materials*. Volume 543. Trans Tech Publ 2013; 89-92.

57. Hasegawa G, Shimonaka M, Ishihara Y. Differential genotoxicity of chemical properties and particle size of rare metal and metal oxide nanoparticles. *J Appl Toxicol* 2012; 32: 72-80.
58. Kühnel D, Scheffler K, Wellner P, Meißner T, Potthoff A, et al. Comparative evaluation of particle properties, formation of reactive oxygen species and genotoxic potential of tungsten carbide based nanoparticles in vitro. *J Hazard Mater* 2012; 227: 418-426.
59. Papageorgiou I, Brown C, Schins R, Singh S, Newson R, et al. The effect of nano- and micron-sized particles of cobalt-chromium alloy on human fibroblasts in vitro. *Biomaterials* 2007; 28: 2946-2958.
60. Lovrić J, Cho SJ, Winnik FM, Maysinger D. Unmodified cadmium telluride quantum dots induce reactive oxygen species formation leading to multiple organelle damage and cell death. *Chem Biol* 2005; 12: 1227-1234.
61. Jin Y, Kannan S, Wu M, Zhao JX. Toxicity of luminescent silica nanoparticles to living cells. *Chem Res Toxicol* 2007; 20: 1126-1133.
62. Dubertret B, Skourides P, Norris DJ, Noireaux V, Brivanlou AH, et al. In vivo imaging of quantum dots encapsulated in phospholipid micelles. *Science* 2002; 298: 1759-1762.
63. Guilbert C, Kelly AD, Petrucci LA, Lemaire M, Mann KK. Exposure to tungsten induces DNA damage and apoptosis in developing B lymphocytes. *Leukemia* 2011; 25: 1900-1904.
64. Oberdörster G, Maynard A, Donaldson K, Castranova V, Fitzpatrick J, et al. ILSI Research Foundation/Risk Science Institute Nanomaterial Toxicity Screening Working Group. Principles for characterizing the potential human health effects from exposure to nanomaterials: Elements of a screening strategy. *Part Fibre Toxicol* 2005; 2: 8.
65. Kroto HW, Heath JR, O'Brien SC, Curl RF, Smalley RE. Buckminsterfullerene. *Nature* 1985; 318: 162-165.

Correspondence to

Dr. Giray Bugra Akbaba
Kafkas University
Faculty of Engineering and Architecture
Bioengineering Department
36100, Kars/Turkey.