# Advancing oncology: The roles of targeted therapy and chemotherapy in modern cancer treatment.

### Yan Wing\*

Department of Clinical Oncology, University of Hong Kong, Hong Kong

## Introduction

Cancer remains one of the most formidable health challenges of the 21st century, with millions of people diagnosed each year. Oncology, the branch of medicine dedicated to the study and treatment of cancer, has witnessed groundbreaking advancements over the past few decades. Among these, targeted therapy and chemotherapy stand as pivotal approaches in the fight against cancer. While both methods aim to eradicate malignant cells, they differ significantly in mechanism, application, and outcomes.

Chemotherapy, a cornerstone of cancer treatment, has been used for decades to treat a variety of cancers. It involves the use of drugs designed to kill rapidly dividing cells. This characteristic makes it effective against cancer cells but also impacts healthy cells, leading to well-known side effects such as nausea, fatigue, and hair loss. Despite its challenges, chemotherapy remains indispensable for its ability to treat a wide range of cancers and for its efficacy in both early and advanced stages of the disease. Targeted therapy, on the other hand, represents a newer paradigm in oncology. Unlike chemotherapy, which broadly attacks dividing cells, targeted therapy focuses on specific molecular changes that drive cancer growth. By homing in on these alterations, targeted therapy spares most healthy cells, often resulting in fewer side effects. Examples include drugs that inhibit tyrosine kinase, a protein critical for cancer cell proliferation, or monoclonal antibodies that block specific receptors on cancer cells [1, 2].

The development of targeted therapy has been fueled by advances in genomics and molecular biology. By understanding the genetic mutations and pathways that contribute to cancer, researchers have identified precise targets for intervention. For instance, in breast cancer, the discovery of HER2positive tumors has led to therapies like trastuzumab, which significantly improves outcomes for patients with this subtype. Chemotherapy and targeted therapy often complement each other. In many cases, a combination of these treatments is employed to maximize efficacy. For example, patients with advanced colorectal cancer may receive chemotherapy to reduce tumor size and targeted therapy to inhibit growth signals. This integrative approach highlights the importance of tailoring treatment to individual patients' needs and cancer profiles [3, 4]. Despite their strengths, both chemotherapy and targeted therapy face limitations. Chemotherapy's lack of specificity can lead to cumulative toxicity and resistance over time. Similarly, targeted therapy is not universally effective; some patients may not have identifiable targets, and others may develop resistance as cancer cells adapt. These challenges underscore the need for continuous innovation in oncology research [5, 6].

Immunotherapy has recently emerged as a promising addition to the cancer treatment arsenal. By stimulating the patient's immune system to attack cancer, immunotherapy can complement both chemotherapy and targeted therapy. For instance, checkpoint inhibitors that release immune system brakes have shown remarkable success in treating certain cancers, such as melanoma and lung cancer. Patient stratification plays a crucial role in determining the most effective treatment. Precision medicine, which tailors therapy based on individual genetic and molecular profiles, ensures that patients receive the most suitable treatment. Advances in diagnostic technologies, such as liquid biopsies and nextgeneration sequencing, are enhancing the ability to identify the best candidates for targeted therapy or chemotherapy [7, 8].

The accessibility of targeted therapies remains a significant issue, particularly in low- and middle-income countries. While chemotherapy is more widely available due to its long-established use, the high costs of targeted therapies and diagnostic tools limit their reach. Efforts to reduce costs and expand access are essential to ensure equitable cancer care worldwide. Clinical trials continue to be a cornerstone of progress in oncology. These trials not only test new drugs and combinations but also refine existing treatments. Participation in clinical trials provides patients with access to cutting-edge therapies and contributes to the collective knowledge of cancer treatment. Education and patient awareness are critical in oncology. Patients and caregivers must understand the goals, potential benefits, and risks of different treatments. Informed decision-making empowers patients to take an active role in their care, enhancing treatment adherence and satisfaction.

Supportive care is another vital aspect of cancer treatment. Managing the side effects of chemotherapy, ensuring nutritional support, and addressing the emotional well-being of patients are integral to comprehensive oncology care. Holistic approaches that consider the physical, psychological, and

\*Correspondence to: Yan Wing, Department of Clinical Oncology, University of Hong Kong, Hong Kong, E mail: yan@wing.hk Received: 01-Nov-2024, Manuscript No. AAMOR-24-155332; Editor assigned: 02-Nov-2024, PreQC No. AAMOR-24-155332(PQ); Reviewed: 18-Nov-2024, QC No. AAMOR-24-155332; Revised: 22-Nov-2024, Manuscript No. AAMOR-24-155332(R); Published: 29-Nov-2024, DOI:10.35841/aamor-8.6.264

*Citation:* Wing Y. Advancing oncology: The roles of targeted therapy and chemotherapy in modern cancer treatment. J Mol Oncol Res. 2024;8(6):264

social aspects of cancer are increasingly recognized as essential components of treatment. The future of oncology lies in the integration of therapies. Advances in artificial intelligence and machine learning are enabling the identification of novel drug targets and optimizing treatment strategies. Combining chemotherapy, targeted therapy, immunotherapy, and emerging modalities promises to improve outcomes and reduce treatment-related burdens [9, 10].

#### Conclusion

Targeted therapy and chemotherapy remain central to the fight against cancer, each offering unique benefits and challenges. While chemotherapy provides a broad-spectrum attack on cancer, targeted therapy offers precision and fewer side effects. Together, they form the backbone of modern oncology, often working synergistically to improve patient outcomes. As research continues to unravel the complexities of cancer, the integration of these therapies with new innovations promises a future of more effective and personalized cancer care.

#### References

- 1. Ettinger DS, Akerley W, Bepler G, et al. Non–small cell lung cancer. J Natl Compr Canc Netw. 2010;8(7):740-801.
- 2. Tekade SA, Chaudhary MS, Gawande MN, et al. Correlation between mucoepidermoid carcinoma grade and AgNOR count. J Oral Sci. 2010;52(2):275-9.

- McDougall JC, Gorenstein A, Unni K, et al. Carcinoid and mucoepidermoid carcinoma of bronchus in children. Annals of Otology, Rhinology & Laryngology. 1980;89(5):425-7.
- Dinopoulos A, Lagona E, Stinios I, et al. Mucoepidermoid carcinoma of the bronchus. Pediatr Hematol Oncol. 2000;17(5):401-8.
- Tsuchiya H, Nagashima K, Ohashi S, et al. Childhood bronchial mucoepidermoid tumors. J pedi sur. 1997;32(1):106-9.
- 6. Fan XM, Wong BCY, Wang WP, et al. Inhibition of proteosome function induced apoptosis in gastric cancer. Int J Cancer. 2001;93:481-88.
- Holian O, Wahid S, Atten MJ, et al. Inhibition of gastric cancer cell proliferation by resveratrol: role of nitric oxide. Am J Physiol Gastrointest Liver Physiol. 2002;282:809-16.
- 8. Ming SC. Gastric carcinoma: a pathobiological classification. Cancer. 1977;39:2475-85.
- 9. Vauhkonen M, Vauhkonen H, Sipponen P. Pathology and molecular biology of gastric cancer. Pathology and molecular biology of gastric cancer.
- 10. Ferrucci PF, Zucca E. Primary gastric lymphoma pathogenesis and treatment: what has changed over the past 10 years?. Br J Haematol. 2007;136:521-38.

*Citation:* Wing Y. Advancing oncology: The roles of targeted therapy and chemotherapy in modern cancer treatment. J Mol Oncol Res. 2024;8(6):261