

# Antibiotic Susceptibility Pattern of Salmonella Isolated from Enteric Fever Suspected Patients

## Bijayata Shrestha

HAMS Hospital, Dhumbarahi, Kathmandu, Nepal

## Abstract:

Enteric fever is one of the most common diseases encountered worldwide and is endemic in Nepal. This study was conducted to access antibiotic susceptibility pattern of Salmonella isolates from culture positive cases of enteric fever. Altogether 505 blood samples were collected from patients clinically suspected of enteric fever attending HAMS Hospital. All blood samples were cultured by BACTEC method and sub cultured in blood agar and MacConkey agar plates. All isolates were identified by colony characteristics, biochemical tests and serotyping methods. Antibiotic susceptibility test was performed by modified Kirby Bauer disc diffusion method interpreted with CLSI guideline. Isolation rate of Salmonella species was 3.6%. Among 18 Salmonella isolates, 10 were S. typhi, 8 were S. paratyphi A. The prevalence rate of infection was high among the age group 11-20 years (50%) and among the male patients. However, there was no significant association of enteric fever with gender of patients (p=2.47). All 18 isolates were sensitive to Amoxycillin, Azithromycin, Ceftriaxone and Chloramphenicol, Ciprofloxacin and Ofloxacin. Majority of isolates were sensitive to Cefixime (94.4%), Cotrimoxazole (94.4%) and Cephotaxime (90%). There were no any MDR isolates. Higher percentage of isolates was resistant to Nalidixic acid (87.5%). The decreased susceptibility to Fluroquinolones of S. typhi and S. Paratyphi A can be correlated with resistance to Nalidixic acid. Commonly used third generation Cephalosporins and rolled back first line drugs be the choice in case of NARS isolates.

#### **Biography:**

Bijayata Shrestha completed her Masters Degree in Microbiology (Medical) at the age of 28 years from Tribhuwan University, Nepal. She started working in HAMS hospital, Kathmandu, Nepal in 2009 A.D. right after completing her Undergraduate degree in Medical Laboratory Technology (BMLT) from Rajiv Gandhi University of Health Sciences, India. She is currently designated as incharge of Pathology department in the Hospital and her



duties and responsibilities include QC analysis, laboratory report authorization and staff duty roster maintenance. Besides, She is also working as a lecturer to PCL Nursing students in HAMS Nursing College since 2010 A.D.

### **Publication of speakers:**

- Shrestha, Bijayata & Subedi, Sushil. (2020). Knowledge, Attitude and Practice of Oral Biopsy Procedures among Dental Surgeons Registered with Nepal Dental Association. Journal of Nepal Health Research Council. 18. 70-74. 10.33314/jnhrc.v18i1.1987.
- Shrestha, Ashish & More, Chandramani & Keshwar, Shashi & Shrestha, Bijayata & Raut, Toniya. (2019). Nutritional Status Influencing Orofacial Developmental Anomalies. Current Oral Health Reports. 6. 10.1007/s40496-019-00223-8.
- Shrestha, Bijayata. (2019). Sexual Dimorphism in Permanent Maxillary and Mandibular Canine of Medical Students in Gandaki Medical College, Nepal. Birat Journal of Health Sciences. 4. 654-659. 10.3126/bjhs. v4i1.23941.
- Subedi, Sushil & Shrestha, Bijayata. (2019). Awareness of oral cancer and potentially malignant oral disorder among final year medical and dental undergraduate students of Chitwan Medical College, Nepal. Journal of Chitwan Medical College. 9. 20-26. 10.3126/jcmc. v9i1.23778.

#### 11th International Conference on Clinical Microbiology and Indfectious Diseases

**Citation:** Ssembatya Benard, Antibiotic Susceptibility Pattern of Salmonella Isolated from Enteric Fever Suspected Patients; Euro Clinical Microbiology 2020; June 26, 2020; London, UK