

8th International Conference on

Nutrition, Food Science and Technology

December 09-10, 2019 | Dubai, UAE

Biological pretreatment of lignocellulosic material for increased biogas production by Anaerobic digestion

Jaron C Hansen

Brigham Young University, USA

Without pretreatment, anaerobic digestion of lignocellulosic material typically converts only one-third of the carbon into biogas which is typically only 60% methane. Physical and chemical pretreatments to increase biogas production from biomass have proven to be uneconomical. The anaerobic thermophile, *Caldicellulosiruptor bescii*, has been shown to be capable of solubilizing up to 90% of lignocellulose, thus making the carbon accessible for anaerobic digestion. Preliminary experiments show *C. bescii* is capable of solubilizing a wide range of lignocellulosic materials. Anaerobic digestion readily and rapidly converts the soluble products into biogas

with 70-80% methane. Isothermal microcalorimetry measurements have provided a thermodynamic understanding of the process. We have applied the pretreatment/anaerobic digestion process to giant king grass, corn mash, corn stover, waste activated sludge (WAS), almond shells and algae and found the biogas yield significantly improved. Results from experiments conducted using isothermal microcalorimetry as well as larger-scale 30L and 60L reactor pretreatment/anaerobic digestion experiments will be presented.

e: jhansen@chem.byu.edu