

Integrative approaches to irritable bowel syndrome: A holistic perspective.

Caroline Kligler*

Department of Family Medicine and Community Health, Institute for Family Health, New York, USA

Introduction

Irritable Bowel Syndrome (IBS) is a common gastrointestinal disorder affecting millions of people worldwide. Characterized by symptoms such as abdominal pain, bloating, and changes in bowel habits, IBS can significantly impact the quality of life for those who suffer from it. While conventional medical treatments focus on managing symptoms, integrative approaches offer a holistic perspective that considers the mind-body connection and the role of lifestyle factors [1, 2].

Diet plays a pivotal role in managing IBS symptoms. Integrative approaches often emphasize personalized dietary modifications tailored to an individual's specific triggers. The low-FODMAP (fermentable oligosaccharides, disaccharides, monosaccharides, and polyols) diet, for example, is gaining popularity. This approach involves restricting certain carbohydrates that can ferment in the gut, leading to gas and bloating. However, it is crucial to undertake this diet under the guidance of a healthcare professional or a registered dietitian to ensure nutritional adequacy [3, 4].

In addition to the low-FODMAP diet, increasing dietary fiber intake can be beneficial for many individuals with IBS. Soluble fiber, found in foods like oats, beans, and fruits, can help regulate bowel movements and alleviate constipation. On the other hand, insoluble fiber, found in whole grains and vegetables, may be useful for managing symptoms associated with diarrhea. The relationship between the mind and the gut is a key aspect of integrative approaches to IBS. Stress and anxiety can exacerbate IBS symptoms, making it essential to incorporate stress management techniques. Mindfulness-based practices, such as meditation and deep-breathing exercises, have been shown to reduce stress and improve overall well-being [5, 6].

Yoga is another valuable tool in managing IBS symptoms. The combination of gentle movements, stretching, and focused breathing in yoga can contribute to stress reduction and promote a sense of balance. Studies have indicated that incorporating yoga into a comprehensive treatment plan can lead to significant improvements in IBS symptoms. Several complementary therapies have shown promise in managing IBS symptoms. Acupuncture, an ancient Chinese practice involving the insertion of thin needles into specific points on the body, has been associated with symptom relief in some individuals with IBS. While the mechanisms are not fully

understood, acupuncture may modulate the nervous system and reduce inflammation [7, 8].

Probiotics, which are beneficial bacteria that promote a healthy gut microbiome, have also gained attention in IBS management. Research suggests that certain strains of probiotics may help alleviate symptoms such as bloating and abdominal pain. However, the effectiveness of probiotics can vary, and it is important to choose strains supported by scientific evidence. Herbal supplements, such as peppermint oil, have demonstrated efficacy in managing IBS symptoms. Peppermint oil has smooth muscle relaxant properties, which can help alleviate spasms in the gastrointestinal tract [9, 10].

Conclusion

Integrative approaches to Irritable Bowel Syndrome offer a holistic perspective that goes beyond conventional medical treatments. By addressing dietary factors, managing stress, and incorporating complementary therapies, individuals with IBS can take a proactive role in managing their symptoms and improving their overall quality of life. It is important to note that the effectiveness of integrative approaches may vary from person to person, and consultation with healthcare professionals is crucial to tailor a personalized treatment plan.

References

1. Kot E, Grzegorzewski P, Kostecka B, et al. Self-disgust and disgust sensitivity are increased in anorexia nervosa inpatients, but only self-disgust mediates between comorbid and core psychopathology. *Eur Eat Disord Rev.* 2021;29(6):879-92.
2. J Devoe D, Han A, Anderson A, et al. The impact of the COVID-19 pandemic on eating disorders: A systematic review. *Int J Eat Disord.* 2023;56(1):5-25.
3. Bai F, Tomasoni D, Falcinella C, et al. Female gender is associated with long COVID syndrome: A prospective cohort study. *Clin Microbiol Infect.* 2022;28(4):611-e9.
4. Cervia C, Zurbuchen Y, Taeschler P, et al. Immunoglobulin signature predicts risk of post-acute COVID-19 syndrome. *Nat Commun.* 2022;13(1):1-2.
5. Zheng R, Brunius C, Shi L, et al. Prediction and evaluation of the effect of pre-centrifugation sample management on the measurable untargeted LC-MS plasma metabolome. *Anal Chim Acta.* 2021;1182:338968.

*Correspondence to: Caroline Kligler, Department of Family Medicine and Community Health, Institute for Family Health, New York, USA, E-mail: caroline.kligler@gmail.com

Received: 16-Oct-2023, Manuscript No. JGDD-23-120822; Editor assigned: 18-Oct-2023, Pre QC No. JGDD-23-120822 (PQ); Reviewed: 01-Nov-2023, QC No. JGDD-23-120822; Revised: 04-Nov-2023, Manuscript No. JGDD-23-120822 (R); Published: 10-Nov-2023, DOI: 10.35841/jgdd-8.6.178

6. Co JY, Margalef-Català M, Monack DM, et al. Controlling the polarity of human gastrointestinal organoids to investigate epithelial biology and infectious diseases. *Nat Protoc.* 2021;16(11):5171-92.
7. Shulman RJ, Chumpitazi BP, Abdel-Rahman SM, et al. Randomised trial: Peppermint oil (menthol) pharmacokinetics in children and effects on gut motility in children with functional abdominal pain. *Br J Clin Pharmacol.* 2022;88(3):1321-33.
8. Leroy A, Perrin H, Porret R, et al. Iberogast®-Induced Acute Liver Injury—A Case Report. *Gastro Hep Adv.* 2022 ;1(4):601-3.
9. Zeitz J, Ak M, Müller-Mottet S, et al. Pain in IBD patients: Very frequent and frequently insufficiently taken into account. *PLoS One.* 2016;11(6):e0156666.
10. Coates MD, Johri A, Gorrepati VS, et al. Abdominal pain in quiescent inflammatory bowel disease. *Int J Colorectal Dis.* 2021;36:93-102.